



# STATEMENT

---

Attestato No.:  
C596300

Data prima emissione:  
23 febbraio 2023

Con la presente si attesta che/  
This is to state that

In data 10 febbraio 2023 si sono ultimate le attività di Gap Analysis relative all'implementazione e applicazione della Linea Guida "ISO 10005:2018 - Quality management - Guidelines for quality plans" da parte della società/  
On 10<sup>th</sup> February 2023 the Gap Analysis activities related to the implementation and the application of "ISO 10005:2018 - Quality management - Guidelines for quality plans" by the company/

## **ALMAVIVA S.p.A.**

Via di Casal Boccone, 188-190 - 00137 Roma (RM) - Italia

I risultati della valutazione condotta da DNV a fronte della Linea Guida "ISO 10005:2018 - Quality management - Guidelines for quality plans" sono riportati nel Report "Gap\_Analysis\_ALMAVIVA\_20230210"./  
The results of the evaluation conducted by DNV against the "ISO 10005:2018 guidelines - Quality management - Guidelines for quality plans" are reported in the Report "Gap\_Analysis\_ALMAVIVA\_20230210".

Luogo e Data/Place and date:  
**Vimercate (MB), 23 febbraio 2023**

Per l'Organismo di Certificazione/  
For the Issuing Office  
**DNV - Business Assurance**  
**Via Energy Park, 14 - 20871 Vimercate (MB) - Italy**

**Claudia Baroncini**  
Management Representative